

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 1/31/2024 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

 Product form
 : Substance

 Substance name
 : EO Lemon CP

 IUPAC name
 : Lemon, ext.

 EC-No.
 : 284-515-8

 CAS-No.
 : 84929-31-7

 REACH registration No.
 : 01-2119495512-35

Product code : 20102
Product group : Trade product

Other means of identification : Essential oil of lemon obtained from the peel of Citrus limonum (Rutaceae) by expression

and/or distillation, including cold pressed, distilled, terpenes and essence qualities

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Professional use, Consumer use Use of the substance/mixture : Fragrance raw material

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

De Hekserij Spoorstraat 57 8271 RG IJsselmuiden Nederland www.hekserij.nl

## 1.4. Emergency telephone number

No additional information available

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Skin corrosion/irritation, Category 2 H315
Skin sensitisation, category 1B H317
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

GHS02 GHS07 GHS08 GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed. P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.

P331 - Do NOT induce vomiting.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool. P240 - Ground and bond container and receiving equipment.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Substance type: Multi-constituentName: EO Lemon CPCAS-No.: 84929-31-7EC-No.: 284-515-8

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Limonene D- (nat)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2	50.001 – 100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Pinene beta	CAS-No.: 127-91-3 EC-No.: 204-872-5	10.001 – 20	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
gamma Terpinene	CAS-No.: 99-85-4 EC-No.: 202-794-6	10.001 – 20	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 2, H411
Sabinene	CAS-No.: 3387-41-5 EC-No.: 222-212-4	1.001 – 5	Acute Tox. 4 (Oral), H302
IbetaBisabolene	CAS-No.: 495-61-4 EC-No.: 610-461-5	1.001 – 5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Neryl acetate	CAS-No.: 141-12-8 EC-No.: 205-459-2	1.001 – 5	Skin Sens. 1B, H317

## Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Citral	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	1.001 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Myrcene	CAS-No.: 123-35-3 EC-No.: 204-622-5	1.001 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Pinene alpha	CAS-No.: 80-56-8 EC-No.: 201-291-9	1.001 – 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
Lindenol (IFF)	CAS-No.: 98-55-5 EC-No.: 202-680-6 REACH-no: 01-2119980717- 23	1.001 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	1.001 – 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
p-Cymene	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	1.001 – 5	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
p-mentha-1(7),2-diene	CAS-No.: 555-10-2 EC-No.: 209-081-9	0.101 – 1	Flam. Liq. 3, H226 Asp. Tox. 1, H304
Terpinolene	CAS-No.: 586-62-9 EC-No.: 209-578-0	0.101 – 1	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Caryophyllene beta	CAS-No.: 87-44-5 EC-No.: 201-746-1	0.101 – 1	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
(Z)-beta-Ocimene	CAS-No.: 3338-55-4 EC-No.: 222-081-3	0.101 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Camphene	CAS-No.: 79-92-5 EC-No.: 201-234-8	0.101 – 1	Flam. Sol. 1, H228 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Citronellal	CAS-No.: 106-23-0 EC-No.: 203-376-6	0.101 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Terpinene alpha	CAS-No.: 99-86-5 EC-No.: 202-795-1 EC Index-No.: 601-095-00-7	0.101 – 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.101 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.101 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
GERANIOL	CAS-No.: 106-24-1 EC-No.: 203-377-1	0.01 – 0.1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

#### 3.2. Mixtures

Not applicable

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Risk of lung oedema.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

1/31/2024 (Issue date) EU - en 4/21

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry

into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Packaging materials : Store always product in container of same material as original container.

#### 7.3. Specific end use(s)

No additional information available

1/31/2024 (Issue date) EU - en 5/21

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

EO Lemon CP (84929-31-7)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	6.67 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	23.3 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	3.33 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	5.8 mg/m³	
Long-term - systemic effects, dermal	3.33 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	5.4 μg/l	
PNEC aqua (marine water)	0.54 μg/l	
PNEC aqua (intermittent, freshwater)	5.77 μg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	1.3 mg/kg dwt	
PNEC sediment (marine water)	0.13 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.29 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	2.1 mg/l	

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

## Personal protective equipment symbol(s):







### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Yellow.
Odour
Odour threshold : Not available
Melting point : <-20 °C
Freezing point : Not available

Boiling point : 160 °C Atm. press.: 1016 hPa Flammability : Flammable liquid and vapour.

Lower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 53.5 °CAuto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not available

Viscosity, kinematic : 1.28 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' Viscosity, dynamic : 1.09 mPa·s Temp.: '20°C' Parameter: 'dynamic viscosity (in mPa s)'

Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 218.8 Pa Temp.: 25 °C

Vapour pressure at 50°C : Not available

Density : 0.8512 g/cm³ Type: 'density' Temp.: 20 °C
Relative density : 0.8527 Type: 'relative density' Temp.: 20 °C

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapour.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

,	
EO Lemon CP (84929-31-7)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 10000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Limonene D- (nat) (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
gamma Terpinene (99-85-4)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Sabinene (3387-41-5)	
LD50 oral rat	300 – 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
IbetaBisabolene (495-61-4)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
Neryl acetate (141-12-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

## Safety Data Sheet

Citral (5392-40-5)	
LD50 oral rat	≈ 6800 mg/kg bodyweight Animal: rat
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat
Myrcene (123-35-3)	
LD50 oral rat	> 11390 mg/kg bodyweight Animal: rat
LD50 oral	> 3380 mg/kg bodyweight Animal: mouse
LD50 dermal rabbit	> 5000 mg/l Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Pinene alpha (80-56-8)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
Lindenol (IFF) (98-55-5)	
LD50 oral rat	4300 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2900 - 5700
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg bodyweight Animal: rat, 95% CL: 5450 - 7340
LD50 dermal rabbit	> 2000 mg/kg
p-Cymene (99-87-6)	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: other:
Terpinolene (586-62-9)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Caryophyllene beta (87-44-5)	
LD50 oral	> 5000 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: not determinable due to absence of adverse toxic effects
Camphene (79-92-5)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
Citronellal (106-23-0)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	2500 – 5000 mg/kg bodyweight Animal: rabbit
Terpinene alpha (99-86-5)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 2440 - 3180
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374

## Safety Data Sheet

GERANIOL (106-24-1)	
LD50 oral rat	≈ 3600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Nerol (106-25-2)	
LD50 oral rat	4500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 3400 - 5600
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
- 5 ,	Causes skin irritation.  Not classified  May cause an allergic skin reaction.  Not classified  Not classified
Citral (5392-40-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Citronellal (106-23-0)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Reproductive toxicity :	Not classified
gamma Terpinene (99-85-4)	
NOAEL (animal/male, F1)	250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (animal/female, F1)	100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
STOT-single exposure :	Not classified
<u> </u>	Not classified
Citral (5392-40-5)	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Myrcene (123-35-3)	
LOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (subchronic, oral, animal/male, 90 days)	500 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	250 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Lindenol (IFF) (98-55-5)	
NOAEL (oral, rat, 90 days)	≥ 314 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Geranyl acetate (105-87-3)	
NOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: other:
Citronellal (106-23-0)	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Linalool (78-70-6)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard :	May be fatal if swallowed and enters airways.
EO Lemon CP (84929-31-7)	
Viscosity, kinematic	1.28 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'
Citral (5392-40-5)	
Viscosity, kinematic	2.42 mm²/s at 20 °C
Linalool (78-70-6)	
Viscosity, kinematic	5191.86 mm²/s
Nerol (106-25-2)	
Viscosity, kinematic	10.37 mm²/s at 20 °C

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(cnronic)	
Limonene D- (nat) (5989-27-5)	
LC50 - Fish [1]	720 μg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

## Safety Data Sheet

gamma Terpinene (99-85-4)	
EC50 - Crustacea [1]	10189 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 10.82 mg/l Test organisms (species): Scenedesmus capricornutum
Sabinene (3387-41-5)	
EC50 - Crustacea [1]	≈ 3960 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
IbetaBisabolene (495-61-4)	
EC50 96h - Algae [1]	0.02 mg/l Test organisms (species): other:
Citral (5392-40-5)	
LC50 - Fish [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	103.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Myrcene (123-35-3)	
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.342 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.31 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Pinene alpha (80-56-8)	
LC50 - Fish [1]	0.303 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.475 mg/l Test organisms (species): Daphnia magna
Lindenol (IFF) (98-55-5)	
LC50 - Fish [1]	70 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	73 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	≈ 68 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	≈ 17 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Geranyl acetate (105-87-3)	
LC50 - Fish [1]	68.12 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	14.1 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	3.72 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	3.72 mg/l Species: Desmodesmus subspicatus 72 h
p-Cymene (99-87-6)	
LC50 - Fish [1]	48 mg/l Test organisms (species): Cyprinodon variegatus
EC50 - Crustacea [1]	3.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	4.03 mg/l Test organisms (species): Scenedesmus capricornutum
EC50 72h - Algae [2]	2.01 mg/l Test organisms (species): Scenedesmus capricornutum

## Safety Data Sheet

Terpinolene (586-62-9)	
LC50 - Fish [1]	0.805 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.634 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	11.69 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Caryophyllene beta (87-44-5)	
EC50 - Crustacea [1]	> 0.17 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 0.033 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Camphene (79-92-5)	
LC50 - Fish [1]	0.72 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.72 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1.75 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Citronellal (106-23-0)	
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	8.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.33 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	6.74 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Terpinene alpha (99-86-5)	
LC50 - Fish [1]	3150 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	1.7 mg/l Test organisms (species): Daphnia magna
Linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
GERANIOL (106-24-1)	
LC50 - Fish [1]	≈ 22 mg/l
EC50 - Crustacea [1]	≈ 10.8 ml/l
ErC50 algae	≈ 13.1 mg/l
NOEC chronic fish	≈ 10 mg/l
NOEC chronic algae	≈ 1 ml/l
Nerol (106-25-2)	
LC50 - Fish [1]	20.3 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)

## Safety Data Sheet

12.2. Persistence and degradability		
EO Lemon CP (84929-31-7)		
Persistence and degradability	Not rapidly degradable	
Limonene D- (nat) (5989-27-5)		
Persistence and degradability	Not rapidly degradable	
Pinene beta (127-91-3)		
Persistence and degradability	Not rapidly degradable	
gamma Terpinene (99-85-4)		
Persistence and degradability	Not rapidly degradable	
Sabinene (3387-41-5)		
Persistence and degradability	Not rapidly degradable	
IbetaBisabolene (495-61-4)		
Persistence and degradability	Not rapidly degradable	
Neryl acetate (141-12-8)		
Persistence and degradability	Not rapidly degradable	
Citral (5392-40-5)		
Persistence and degradability	Not rapidly degradable	
Myrcene (123-35-3)		
Persistence and degradability	Not rapidly degradable	
Pinene alpha (80-56-8)		
Persistence and degradability	Not rapidly degradable	
Lindenol (IFF) (98-55-5)		
Persistence and degradability	Not rapidly degradable	
Geranyl acetate (105-87-3)		
Persistence and degradability	Not rapidly degradable	
p-Cymene (99-87-6)		
Persistence and degradability	Not rapidly degradable	
p-mentha-1(7),2-diene (555-10-2)		
Persistence and degradability	Not rapidly degradable	
Terpinolene (586-62-9)		
Persistence and degradability	Not rapidly degradable	
Caryophyllene beta (87-44-5)		
Persistence and degradability	Not rapidly degradable	
(Z)-beta-Ocimene (3338-55-4)		
Persistence and degradability	Not rapidly degradable	
Camphene (79-92-5)		
Persistence and degradability	Not rapidly degradable	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citronellal (106-23-0)	
Persistence and degradability	Not rapidly degradable
Terpinene alpha (99-86-5)	
Persistence and degradability	Not rapidly degradable
Linalool (78-70-6)	
Persistence and degradability	Not rapidly degradable
GERANIOL (106-24-1)	
Persistence and degradability	Not rapidly degradable
Nerol (106-25-2)	
Persistence and degradability	Not rapidly degradable

## 12.3. Bioaccumulative potential

Neryl acetate (141-12-8)		
Partition coefficient n-octanol/water (Log Pow) 3.67		
Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Kow) 2.76 at 25 °C		
Lindenol (IFF) (98-55-5)		
Partition coefficient n-octanol/water (Log Kow) ≥ 2.67		
Linalool (78-70-6)		
Partition coefficient n-octanol/water (Log Pow)	≥ 2.84	
GERANIOL (106-24-1)		
Partition coefficient n-octanol/water (Log Pow) ≈ 2.6		
Nerol (106-25-2)		
Partition coefficient n-octanol/water (Log Kow)	2.76 pH value: ~6.5, 30 °C	

## 12.4. Mobility in soil

Citral (5392-40-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.169

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Flammable vapours may accumulate in the container. Do not re-use empty containers.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1197	UN 1197	UN 1197	UN 1197	UN 1197
14.2. UN proper shippin	g name			
EXTRACTS, LIQUID (EO Lemon CP)	EXTRACTS, LIQUID (EO Lemon CP)	Extracts, liquid (EO Lemon CP)	EXTRACTS, LIQUID (EO Lemon CP)	EXTRACTS, LIQUID (EO Lemon CP)
Transport document descr	ription			
UN 1197 EXTRACTS, LIQUID (EO Lemon CP), 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1197 EXTRACTS, LIQUID (EO Lemon CP), 3, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1197 Extracts, liquid (EO Lemon CP), 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1197 EXTRACTS, LIQUID (EO Lemon CP), 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1197 EXTRACTS, LIQUID (EO Lemon CP), 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard	class(es)			
3	3	3	3	3
3	3	<b>₩</b> 2	3	3
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	zards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	on available			

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1
Special provisions (ADR) : 601
Limited quantities (ADR) : 51
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T2
Portable tank and bulk container special provisions : TP1
(ADR)

Tank code (ADR) : LGBF Vehicle for tank carriage : FL

1/31/2024 (Issue date) EU - en 16/21

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Hazard identification number (Kemler No.) : 30
Orange plates :

30 1197

Tunnel restriction code (ADR) : D/E

#### Transport by sea

Special provisions (IMDG) : 223, 955 : 5 L Limited quantities (IMDG) Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) T2 TP1 Tank special provisions (IMDG) F-E EmS-No. (Fire) EmS-No. (Spillage) : S-D Stowage category (IMDG) Α

Properties and observations (IMDG) : Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.

#### Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y344 PCA limited quantity max net quantity (IATA) 10L PCA packing instructions (IATA) 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L Special provisions (IATA) : A3 ERG code (IATA) : 3L

#### **Inland waterway transport**

Classification code (ADN) : F1
Special provisions (ADN) : 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : F1
Special provisions (RID) : 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T2
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

EU restriction list (	(REACH Annex XVII)	
Reference code	Applicable on	Entry title or description
3(a)	EO Lemon CP; Limonene D- (nat); Pinene beta; gamma Terpinene; Myrcene; p-Cymene; p- mentha-1(7),2-diene; (Z)- beta-Ocimene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	EO Lemon CP; Limonene D- (nat); Pinene beta; gamma Terpinene; Sabinene; IbetaBisabolene; Neryl acetate; Citral; Myrcene; Pinene alpha; Lindenol (IFF); Geranyl acetate; p-Cymene; p-mentha-1(7),2-diene; Terpinolene; Caryophyllene beta; (Z)-beta-Ocimene; Citronellal; Linalool; GERANIOL; Nerol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	EO Lemon CP; Limonene D- (nat); gamma Terpinene; Myrcene; Geranyl acetate; p- Cymene; Terpinolene; Caryophyllene beta; (Z)- beta-Ocimene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	EO Lemon CP; Limonene D- (nat); Pinene beta; gamma Terpinene; Myrcene; p-Cymene; p-mentha-1(7),2-diene; (Z)-beta-Ocimene; Camphene; Terpinene alpha	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Not listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Not listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Not listed on the PIC list (Regulation EU 649/2012)

## **POP Regulation (Persistent Organic Pollutants)**

Not listed on the POP list (Regulation EU 2019/1021)

#### Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Dual-Use Regulation (428/2009)**

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : EO Lemon CP is listed SZW-lijst van mutagene stoffen : EO Lemon CP is listed SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed SZW-lijst van reprotoxische stoffen – : The substance is not listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

1/31/2024 (Issue date) EU - en 19/21

## Safety Data Sheet

Abbreviations and acronyms:	
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH	H-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Flam. Sol. 1	Flammable solids, Category 1	
H226	Flammable liquid and vapour.	
H228	Flammable solid.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.