



DE HEKSERIJ

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 6/12/2024 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : FO Water and air 2  
UFI : WC8H-D1E6-X00U-FXED  
Product code : 21108  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Professional use, Consumer use  
Use of the substance/mixture : Fragrance raw material

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

De Hekserij  
Sporstraat 57  
8271 RG IJsselmuiden  
Nederland  
[www.hekserij.nl](http://www.hekserij.nl)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Skin sensitisation, Category 1 H317  
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H411 - Toxic to aquatic life with long lasting effects.

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)	: P261 - Avoid breathing vapours, spray, mist, fume. P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, eye protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P391 - Collect spillage. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH208 - Contains Benzyl salicylate, Geraniol, Nerol, d-Limonene, Hexyl cinnamal, Silvial (Giv), Linalool, Linalyl acetate, Floralozone (IFF), Eucalyptol, Coumarin, Hexyl salicylate, Vertofix Coeur (IFF), Iso E Super (rm), Triplal (IFF). May produce an allergic reaction.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274-37	20 – 25	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442-31	5 – 10	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 REACH-no: 01-2119552430-49	0 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
d-Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2	0 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Galaxolide	CAS-No.: 1222-05-5 EC-No.: 214-946-9 REACH-no: 01-2119488227-29	0 – 5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
gamma-Methyl ionone	CAS-No.: 1335-46-2 EC-No.: 215-635-0 REACH-no: 01-2119471851-35	0 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Hexyl cinnamal	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092-50	0 – 5	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Silvial (Giv)	CAS-No.: 6658-48-6 EC-No.: 229-695-0 REACH-no: 01-2120770116-58	0 – 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
Phenyl ethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2	0 – 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-42	0 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789-19	0 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Floralozone (IFF)	CAS-No.: 916-329-6; 67634-15-5 EC-No.: 266-819-2 REACH-no: 01-2120758796-34	0 – 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Eucalyptol	CAS-No.: 470-82-6 EC-No.: 207-431-5	0 – 5	Flam. Liq. 3, H226 Skin Sens. 1B, H317
Coumarin	CAS-No.: 91-64-5 EC-No.: 202-086-7	0 – 5	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6 REACH-no: 01-2119638275-36	0 – 5	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Vertofix Coeur (IFF)	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651-28	0 – 5	Skin Sens. 1B, H317 Aquatic Chronic 1, H410
Iso E Super (rm)	CAS-No.: 54464-57-2 EC-No.: 915-730-3 REACH-no: 01-2119489989-04	0 – 5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Triplal (IFF)	CAS-No.: 68039-49-6 EC-No.: 268-264-1; 943-728-2 REACH-no: 01-2119982384-28	0 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Allyl amyl glycolate	CAS-No.: 67634-00-8 EC-No.: 266-803-5; 916-328-0 REACH-no: 01-2120794630-50	0 – 5	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Irrit. 2, H315

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.  
Absorb spillage to prevent material damage.

##### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.  
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.  
Storage conditions : Keep cool. Protect from sunlight.  
Packaging materials : Store always product in container of same material as original container.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

No additional information available

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Pale yellow to yellow.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 80 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.951 – 0.981 Temp.: 20 °C
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Benzyl salicylate (118-58-1)

LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal))
--------------------	--

#### Geraniol (106-24-1)

LD50 oral rat	3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Nerol (106-25-2)</b>	
LD50 oral rat	4500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 3400 - 5600
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
<b>d-Limonene (5989-27-5)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
<b>Galaxolide (1222-05-5)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 5.04 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
<b>gamma-Methyl ionone (1335-46-2)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 (Acute Toxicity (Oral))
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
<b>Silvial (Giv) (6658-48-6)</b>	
LD50 oral rat	> 5000 (>) mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 Inhalation - Rat	> 500 mg/l Method: OECD Test Guideline 436
<b>Phenyl ethyl alcohol (60-12-8)</b>	
LD50 dermal rabbit	2535 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 1769 - 3634
LC50 Inhalation - Rat	> 4.63 mg/l air Animal: rat
<b>Linalool (78-70-6)</b>	
LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 2440 - 3180
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374
<b>Linalyl acetate (115-95-7)</b>	
LD50 oral rat	> 9000 mg/kg bodyweight Animal: rat, Remarks on results: other:
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
<b>Floralozone (IFF) (916-329-6; 67634-15-5)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
<b>Coumarin (91-64-5)</b>	
LD50 oral rat	293 mg/kg bodyweight Animal: rat, Guideline: other:no data
LD50 dermal rat	293 mg/kg bodyweight Animal: rat, Guideline: other:no data



# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Hexyl salicylate (6259-76-3)</b>	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
<b>Vertofix Coeur (IFF) (32388-55-9)</b>	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
<b>Iso E Super (rm) (54464-57-2)</b>	
LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg bodyweight
<b>Triplal (IFF) (68039-49-6)</b>	
LD50 oral rat	3900 mg/kg
LD50 dermal rabbit	2500 mg/kg
<b>Allyl amyl glycolate (67634-00-8)</b>	
LD50 oral rat	500 mg/kg Species : Rat OECD Guideline 423 (Acute Oral toxicityAcute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	0.46 mg/l OECD Guideline 403 (Acute Inhalation Toxicity)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
<b>Geraniol (106-24-1)</b>	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Reproductive toxicity	: Not classified
<b>Benzyl salicylate (118-58-1)</b>	
NOAEL (animal/female, F0/P)	158 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)
<b>Silvial (Giv) (6658-48-6)</b>	
NOAEL (animal/female, F1)	≥ 300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test), Guideline: EPA OPPTS 870.3500 (Preliminary Developmental Toxicity Screen)
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
<b>Benzyl salicylate (118-58-1)</b>	
NOAEL (oral, rat, 90 days)	177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
<b>Geraniol (106-24-1)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other:

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Galaxolide (1222-05-5)</b>	
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
<b>Silvial (Giv) (6658-48-6)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EU Method B.9 (Repeated Dose (28 Days) Toxicity (Dermal)), Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
<b>Phenyl ethyl alcohol (60-12-8)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
<b>Linalool (78-70-6)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
<b>Linalyl acetate (115-95-7)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
<b>Eucalyptol (470-82-6)</b>	
NOAEL (oral, rat, 90 days)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other., Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3150 (90-Day Oral Toxicity in Non-rodents)
<b>Coumarin (91-64-5)</b>	
NOAEL (subchronic, oral, animal/female, 90 days)	> 138.3 mg/kg bodyweight Animal: mouse, Animal sex: female
<b>Hexyl salicylate (6259-76-3)</b>	
NOAEL (oral, rat, 90 days)	46.9 mg/kg bodyweight Animal: rat
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.249 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
<b>Vertofix Coeur (IFF) (32388-55-9)</b>	
NOAEL (oral, rat, 90 days)	80 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard : Not classified	
<b>Dihydromyrcenol (18479-58-8)</b>	
Viscosity, kinematic	12.2 mm <sup>2</sup> /s
<b>Benzyl salicylate (118-58-1)</b>	
Viscosity, kinematic	17 mm <sup>2</sup> /s at 20 °C
<b>Nerol (106-25-2)</b>	
Viscosity, kinematic	10.37 mm <sup>2</sup> /s at 20 °C
<b>Linalool (78-70-6)</b>	
Viscosity, kinematic	5191.86 mm <sup>2</sup> /s
<b>Linalyl acetate (115-95-7)</b>	
Viscosity, kinematic	2.77 mm <sup>2</sup> /s

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Coumarin (91-64-5)	
Viscosity, kinematic	Not applicable
Vertofix Coeur (IFF) (32388-55-9)	
Viscosity, kinematic	38.25 mm <sup>2</sup> /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)'

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

Dihydromyrcenol (18479-58-8)	
LC50 - Fish [1]	27.8 mg/l
EC50 - Crustacea [1]	38 mg/l
EC50 72h - Algae [1]	80 mg/l
NOEC chronic crustacea	17 mg/l

Benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	1.16 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.691 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	1.29 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

Geraniol (106-24-1)	
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	10.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	≈ 13.1 mg/l
NOEC chronic fish	≈ 10 mg/l
NOEC chronic algae	≈ 1 ml/l

Nerol (106-25-2)	
LC50 - Fish [1]	20.3 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	32.4 mg/l Test organisms (species): Daphnia magna

d-Limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>d-Limonene (5989-27-5)</b>	
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
<b>Galaxolide (1222-05-5)</b>	
LC50 - Fish [1]	0.95 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	0.194 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 0.854 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.723 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.075 mg/l Test organisms (species): other aquatic crustacea: Duration: '5,5 d'
NOEC (chronic)	0.111 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.068 mg/l Test organisms (species): Pimephales promelas Duration: '36 d'
<b>gamma-Methyl ionone (1335-46-2)</b>	
LC50 - Fish [1]	> 1.57 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	3.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 9.42 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
<b>Hexyl cinnamal (101-86-0)</b>	
LC50 - Fish [1]	1.7 mg/l Species: fish
EC50 - Other aquatic organisms [1]	< 0.59 mg/l Species: aquatic invertebrates
ErC50 algae	> 0.065 mg/l 72 h
<b>Silvial (Giv) (6658-48-6)</b>	
LC50 - Fish [1]	11.3 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]	1.44 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
<b>Phenyl ethyl alcohol (60-12-8)</b>	
LC50 - Fish [1]	215 – 464 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	287.17 mg/l Test organisms (species): Daphnia magna
<b>Linalool (78-70-6)</b>	
LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
<b>Linalyl acetate (115-95-7)</b>	
LC50 - Fish [1]	11 mg/l Test organisms (species): Cyprinus carpio

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Linalyl acetate (115-95-7)</b>	
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
<b>Floralozone (IFF) (916-329-6; 67634-15-5)</b>	
LC50 - Fish [1]	0.7 mg/l Test organisms (species): Oncorhynchus mykiss
EC50 - Crustacea [1]	0.87 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1.2 mg/l Test organisms (species): Pseudokirchnerella subcapitata
NOEC chronic crustacea	0.3 mg/l Test organisms (species): Daphnia magna
NOEC chronic algae	1.2 mg/l Test organisms (species): Pseudokirchnerella subcapitata
<b>Eucalyptol (470-82-6)</b>	
LC50 - Fish [1]	57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 74 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 74 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
<b>Coumarin (91-64-5)</b>	
LC50 - Fish [1]	2.94 mg/l Test organisms (species):
LC50 - Fish [2]	1324 mg/l Test organisms (species):
EC50 - Crustacea [1]	8.012 mg/l Test organisms (species): Daphnia sp.
EC50 96h - Algae [1]	1.452 mg/l Test organisms (species):
NOEC (chronic)	0.5 mg/l Test organisms (species): Duration: '21 d'
NOEC chronic fish	0.191 mg/l Test organisms (species): Duration: '30 d'
<b>Hexyl salicylate (6259-76-3)</b>	
EC50 - Crustacea [1]	0.357 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.61 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	0.28 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
<b>Vertofix Coeur (IFF) (32388-55-9)</b>	
LC50 - Fish [1]	2.3 mg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	3 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.86 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	2.8 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	> 4.3 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.23 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.087 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Iso E Super (rm) (54464-57-2)</b>	
LC50 - Fish [1]	1.3 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	1.38 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	2.6 mg/l Test organisms (species): Desmodesmus subspicatus
NOEC chronic fish	0.16 mg/l Test organisms (species): Danio rerio
<b>Triplal (IFF) (68039-49-6)</b>	
EC50 - Crustacea [1]	76 mg/l
<b>Allyl amyl glycolate (67634-00-8)</b>	
LC50 - Fish [1]	≈ 0.768 mg/l Test organisms (species):
EC50 96h - Algae [1]	≈ 2.06 mg/l Test organisms (species):
<b>12.2. Persistence and degradability</b>	
<b>FO Water and air 2</b>	
Persistence and degradability	Not rapidly degradable
<b>Dihydromyrcenol (18479-58-8)</b>	
Persistence and degradability	Not rapidly degradable
<b>Benzyl salicylate (118-58-1)</b>	
Persistence and degradability	Not rapidly degradable
<b>Geraniol (106-24-1)</b>	
Persistence and degradability	Not rapidly degradable
<b>Nerol (106-25-2)</b>	
Persistence and degradability	Not rapidly degradable
<b>d-Limonene (5989-27-5)</b>	
Persistence and degradability	Not rapidly degradable
<b>Galaxolide (1222-05-5)</b>	
Persistence and degradability	Not rapidly degradable
<b>gamma-Methyl ionone (1335-46-2)</b>	
Persistence and degradability	Not rapidly degradable
<b>Hexyl cinnamal (101-86-0)</b>	
Persistence and degradability	Not rapidly degradable
<b>Silvial (Giv) (6658-48-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>Phenyl ethyl alcohol (60-12-8)</b>	
Persistence and degradability	Not rapidly degradable
<b>Linalool (78-70-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>Linalyl acetate (115-95-7)</b>	
Persistence and degradability	Not rapidly degradable

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Floralozone (IFF) (916-329-6; 67634-15-5)</b>	
Persistence and degradability	Not rapidly degradable
<b>Eucalyptol (470-82-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>Coumarin (91-64-5)</b>	
Persistence and degradability	Not rapidly degradable
<b>Hexyl salicylate (6259-76-3)</b>	
Persistence and degradability	Not rapidly degradable
<b>Vertofix Coeur (IFF) (32388-55-9)</b>	
Persistence and degradability	Not rapidly degradable
<b>Iso E Super (rm) (54464-57-2)</b>	
Persistence and degradability	Not rapidly degradable
<b>Triplal (IFF) (68039-49-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>Allyl amyl glycolate (67634-00-8)</b>	
Persistence and degradability	Not rapidly degradable
<b>12.3. Bioaccumulative potential</b>	
<b>Dihydromyrcenol (18479-58-8)</b>	
BCF - Fish [1]	64.8
Partition coefficient n-octanol/water (Log Pow)	3.25
<b>Benzyl salicylate (118-58-1)</b>	
Partition coefficient n-octanol/water (Log Pow)	4
<b>Geraniol (106-24-1)</b>	
Partition coefficient n-octanol/water (Log Pow)	≈ 2.6
<b>Nerol (106-25-2)</b>	
Partition coefficient n-octanol/water (Log Kow)	2.76 pH value: ~6.5, 30 °C
<b>Hexyl cinnamal (101-86-0)</b>	
Partition coefficient n-octanol/water (Log Kow)	5.3 at 24 °C
<b>Silvial (Giv) (6658-48-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.8
<b>Phenyl ethyl alcohol (60-12-8)</b>	
Partition coefficient n-octanol/water (Log Pow)	0.8 pH value : 7, 20 °C
<b>Linalool (78-70-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	≥ 2.84
<b>Linalyl acetate (115-95-7)</b>	
Partition coefficient n-octanol/water (Log Pow)	≥ 3.9

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Floralozone (IFF) (916-329-6; 67634-15-5)	
Partition coefficient n-octanol/water (Log Pow)	3.6
Coumarin (91-64-5)	
Partition coefficient n-octanol/water (Log Pow)	1.39
Partition coefficient n-octanol/water (Log Kow)	1.63
Vertofix Coeur (IFF) (32388-55-9)	
Partition coefficient n-octanol/water (Log Pow)	5.655
Iso E Super (rm) (54464-57-2)	
BCF - Fish [1]	≈ 391 mg/kg
Partition coefficient n-octanol/water (Log Kow)	5.65
Triplal (IFF) (68039-49-6)	
Partition coefficient n-octanol/water (Log Pow)	2.34
Allyl amyl glycolate (67634-00-8)	
Partition coefficient n-octanol/water (Log Pow)	2.72

### 12.4. Mobility in soil

Dihydromyrcenol (18479-58-8)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.251
Hexyl cinnamal (101-86-0)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID



# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
<b>14.2. UN proper shipping name</b>				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Water and air 2)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Water and air 2)	Environmentally hazardous substance, liquid, n.o.s. (FO Water and air 2)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Water and air 2)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Water and air 2)
<b>Transport document description</b>				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Water and air 2), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Water and air 2), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (FO Water and air 2), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Water and air 2), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Water and air 2), 9, III
<b>14.3. Transport hazard class(es)</b>				
9	9	9	9	9
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates : 

Tunnel restriction code (ADR) : -

### Transport by sea

Special provisions (IMDG) : 274, 335, 969  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : LP01, P001  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP1, TP29  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-F  
Stowage category (IMDG) : A

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provisions (IATA) : A97, A158, A197, A215  
ERG code (IATA) : 9L

### Inland waterway transport

Classification code (ADN) : M6  
Special provisions (ADN) : 274, 335, 375, 601  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : M6  
Special provisions (RID) : 274, 335, 375, 601  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Special packing provisions (RID) : PP1  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T4  
Portable tank and bulk container special provisions (RID) : TP1, TP29  
Tank codes for RID tanks (RID) : LGBV  
Transport category (RID) : 3  
Special provisions for carriage – Packages (RID) : W12  
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31  
Colis express (express parcels) (RID) : CE8  
Hazard identification number (RID) : 90

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	d-Limonene ; Eucalyptol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	FO Water and air 2 ; Dihydromyrcenol ; Benzyl salicylate ; Geraniol ; Nerol ; d-Limonene ; gamma-Methyl ionone ; Hexyl cinnamal ; Silvial (Giv) ; Phenyl ethyl alcohol ; Linalool ; Linalyl acetate ; Floralozone (IFF) ; Eucalyptol ; Hexyl salicylate ; Vertofix Coeur (IFF) ; Iso E Super (rm) ; Triplal (IFF) ; Allyl amyl glycolate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	FO Water and air 2 ; Benzyl salicylate ; d-Limonene ; Galaxolide ; gamma-Methyl ionone ; Hexyl cinnamal ; Floralozone (IFF) ; Hexyl salicylate ; Vertofix Coeur (IFF) ; Iso E Super (rm) ; Triplal (IFF)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	d-Limonene ; Eucalyptol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

###### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

###### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

###### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : Floralozone (IFF),Triplal (IFF),Allyl amyl glycolate are listed  
SZW-lijst van mutagene stoffen : Floralozone (IFF),Triplal (IFF),Allyl amyl glycolate are listed  
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed  
SZW-lijst van reprotoxische stoffen – : None of the components are listed  
Vruchtbaarheid  
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains Benzyl salicylate, Geraniol, Nerol, d-Limonene, Hexyl cinnamal, Silvial (Giv), Linalool, Linalyl acetate, Floralozone (IFF), Eucalyptol, Coumarin, Hexyl salicylate, Vertofix Coeur (IFF), Iso E Super (rm), Triplal (IFF). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

# FO Water and air 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.