

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 1/9/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Mixture
Product name	:	FO Peach kiss
Product code	:	21110

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture

: Professional use,Consumer use

: Fragrance raw material

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

De Hekserij Spoorstraat 57 8271 RG IJsselmuiden Nederland www.hekserij.nl

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification		
2.1. Classification of the substance or r	nixture	
Classification according to Regulation (EC) I	No. 1272/2008 [CLP]	
Flammable liquids, Category 3	H226	
Skin sensitisation, Category 1	H317	
Full text of H- and EUH-statements: see section	16	
Adverse physicochemical, human health and	d environmental effects	

Flammable liquid and vapour. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) I	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS02 GHS07
Signal word (CLP)	: Warning
Contains	: (R)-p-mentha-1,8-diene; d-limonene; alpha Damascone; linalool; 3,7-dimethyl-1,6-octadien- 3-ol; dl-linalool; benzyl salicylate; carvone (ISO); 2-methyl-5-(prop-1-en-2-yl)cyclohex-2-en- 1-one
Hazard statements (CLP)	: H226 - Flammable liquid and vapour. H317 - May cause an allergic skin reaction.
Precautionary statements (CLP)	 P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P272 - Contaminated work clothing should not be allowed out of the workplace.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	P280 - Wear protective clothing, eye protection, face protection, protective gloves.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P403+P235 - Store in a well-ventilated place. Keep cool.
	P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH208 - Contains Limonene, alpha Damascone, Linalool, Benzyl Salicylate, Carvone. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2	0 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
alpha Damascone	CAS-No.: 24720-09-0 EC-No.: 246-430-4 REACH-no: 01-2120105799- 47	0 – 5	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
cis-3-Hexenol	CAS-No.: 928-96-1 EC-No.: 213-192-8	0 – 5	Flam. Liq. 3, H226 Eye Irrit. 2, H319
Phenyl ethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2	0 – 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Aldehyde C14 peach	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	0 – 5	Aquatic Chronic 3, H412
Benzyl Salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0 – 5	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl acetate	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103- 46	0 – 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Carvone	CAS-No.: 99-49-0 EC-No.: 202-759-5 EC Index-No.: 606-148-00-8	0 – 5	Skin Sens. 1, H317
Allyl hexanoate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0 – 5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Benzyl acetate	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0 – 5	Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : If you feel unwell, seek medical advice. Remove person to fresh air and keep comfortable for breathing. First-aid measures after inhalation Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin First-aid measures after skin contact irritation or rash occurs: Get medical advice/attention. First-aid measures after eye contact : Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell. First-aid measures after ingestion : 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after skin contact : May cause an allergic skin reaction. Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Flammable liquid and vapour. No direct explosion hazard. Toxic fumes may be released. 	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters	
Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.		
6.1.1. For non-emergency personnel			
Protective equipment Emergency procedures	 Wear recommended personal protective equipment. Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. 		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for conta	inment and cleaning up		
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.		
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or		

: Dispose of materials or solid residues at an authorized site.

public waters.

Methods for cleaning up

Other information

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	 Not expected to present a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Technical measures Storage conditions Packaging materials	 Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store always product in container of same material as original container.
7.3. Specific end use(s)	
No additional information available	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Colour	: Yellow to amber yellow.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Flammable liquid and vapour.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 53 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.004 – 1.034
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	tion
---------------------------------------	------

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) Not classifiedNot classifiedNot classified

Safety Data Sheet

Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
alpha Damascone (24720-09-0)	
LD50 oral rat	1670 mg/kg
LD50 dermal rat	2900 mg/kg
cis-3-Hexenol (928-96-1)	
LD50 oral rat	4615 mg/kg bodyweight Animal: rat, 95% CL: 4045 - 6265
LC50 Inhalation - Rat	> 4.99 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)
Phenyl ethyl alcohol (60-12-8)	
LD50 dermal rabbit	2535 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 1769 - 3634
LC50 Inhalation - Rat	> 4.63 mg/l air Animal: rat
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) Remarks on results: other:, 95% CL: 2440 - 3180
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374
Aldehyde C14 peach (104-67-6)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Benzyl Salicylate (118-58-1)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal))
Ethyl acetate (141-78-6)	
LD50 oral	4934 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Animal sex: male
Allyl hexanoate (123-68-2)	
LD50 oral	280 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 246 - 319
LD50 dermal rabbit	820 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 700 - 940
Benzyl acetate (140-11-4)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 5000 mg/kg
Skin corrosion/irritation	: Not classified.
Serious eye damage/irritation	: Not classified.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Safety Data Sheet

Benzyl Salicylate (118-58-1) NOAEL (animal/female, F0/P) 158 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) STOT-single exposure : Not classified Ethyl acotate (141-78-6) StOT-single exposure STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified alpha Damascone (24720-09-0) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 30 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose 90-Day Oral Toxicity Study in Rodents) Phenyl ethyl alcohol (60-12-8) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) InaloEI (78-70-6) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Berzyl Salicylate (118-58-1) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) Ethyl acotate (141-78-6) 177	Aldehyde C14 peach (104-67-6)	
NOAEL (chronic. oral, animal/female, 2 years) 450 mg/kg bodyweight Animat: rat, Animal sex: female, Guideline. OECD Guideline 421 (Caranogenoity Studies) Reproductive toxicity > Not classified Benzyl Salicylate (118-58-1) 158 mg/kg bodyweight Animat: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Bevelopmental Toxicity Screening Test) STOT-single exposure > Not classified Ethyl acetate (141-78-6) Storg and guide diversity for animatic rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Bevelopmental Toxicity Screening Test) STOT-single exposure > Not classified Bind Damascone (24720-09-0) Locata (141-78-6) LOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose 50-cxcty Study with the Reproduction / Developmental Toxicity Screening Test) Phenyl ethyl alcohol (60-12-8) 510 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Barzyl Salicylate (118-58-1) 260 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 411 (Subchronic Oral Toxicity: 79-Day Study) </td <td>NOAEL (chronic, oral, animal/male, 2 years)</td> <td>225 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451</td>	NOAEL (chronic, oral, animal/male, 2 years)	225 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451
ICeranopendity Studies) Reproductive toxicity Not classified Reproductive toxicity Not classified Benzyl Salicylate (118-58-1) It& mgkg bodyweight Animat: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Dawidopmental Toxicity Screening Test) STOT-single opposure Not classified Ethyl acctate (141-78-6) May cause drowainess or dizziness. STOT-single opposure Not classified alpha Damascone (24720-09-0) Ethyl acctate (141-78-6) LOAEL (oral, rat, 80 days) 500 mgkg bodyweight Animat: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 500 mgkg bodyweight Animat: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Phenyl ethyl alcohol (60-22-8) Itoo mgkg bodyweight Animat: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Phenyl ethyl alcohol (60-22-8) Itoo mgkg bodyweight Animat: rat, Guideline: OECD Guideline 401 (Suchtronic Dermal Toxicity Study in Sodal) Borzyl Salicylate (118-58-1) NoAEL (oral, rat, 90 days) Ito mgkg bodyweight Animat: rat, Guideline: OECD Guideline 401 (Suchtronic Oral Toxicity Study in Rodents) Borzyl Salicylate (118-58-1) NoAEL (oral, rat, 90 days) Ito mgkg bodyweight Animat: rat, Guideline: OECD Guid		(Carcinogenicity Studies)
Banzyl Salicylate (118-58-1) 158 mg/kg bodyweight Animal: rat. Animal sex: female. Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) STOT-single exposure Not Classified Ethyl acetate (141-78-6) May cause drowainess or dizziness. STOT-single exposure Not classified alpha Damascone (24720-09-0) LoAEL (aral, rat, 90 days) 500 mg/kg bodyweight Animal: rat. Guideline: OECD Guideline 408 (Repeated Does 90- Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 30 mg/kg bodyweight Animal: rat. Guideline: OECD Guideline 408 (Repeated Does 90- Day Oral Toxicity Study in Rodents) Clas-Hexenol (928-96-1) 1000 mg/kg bodyweight Animal: rat. Guideline: OECD Guideline 408 (Repeated Does 90-Voral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight Animal: rat. Guideline: OECD Guideline 422 (Combined Repeated Does Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Phenyl ethyl alcohol (60-12-3) NOAEL (dermal, rat/rabbit, 90 days) S10 mg/kg bodyweight Animal: rat. Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Benzyl Salicylate (118-58-1) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat. Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Benzyl Salicylate (118-58-1) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guidelin	NOAEL (chronic, oral, animal/female, 2 years)	
NOAEL (animal/remaie, F0/P) 158 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: CECD Guideline 421 (Reproduction / Developmential Toxicity Screening Test). STOT-single exposure Not classified Ethyl acctato (141-78-6) May cause drowsiness or dizziness. STOT-single exposure Not classified alpha Damascone (24720-09-0) S00 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 30 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 30 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Cis-3-Hexenol (928-96-1) Woomaly Bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose 90-Day Study with the Reproduction / Developmental Toxicity Screening Test) Phenyl ethyl alcohol (60-12-8) NOAEL (dermal, rat/rabbit, 90 days) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Banzel Class Itel (141-78-6) Zool mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Banzel Class Itel (141-78-6) Zool mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Reproductive toxicity :	Not classified
(Reproduction / Developmental Toxicity Screening Test) STOT-single exposure Not classified Ethyl accetate (141-78-6) May cause drowsiness or dizziness. STOT-single exposure Not classified alpha Damascone (24720-09-0) Locassified LOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Does 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 30 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Does 90-Day Oral Toxicity Study in Rodents) Cis-3-Hexenol (928-96-1) 30 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Does 90-Day Oral Toxicity Study in Rodents) Phenyl ethyl alcohol (60-12-8) noor mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Does 70 Suby with the Reproduction / Developmental Toxicity Screening Toxicity: 90-Days Study) Linatool (78-70-6) stor mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Barzyl Salicylate (118-58-1) stor mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Does 90-Day Study) LoAEL (oral, rat, 90 days) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Does 90-Day Study) Robert (141-78-6) stor mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Does 90-Day Study)	Benzyl Salicylate (118-58-1)	
Ethyl acetate (141-78-6) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure Not classified alpha Damascone (24720-09-0) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Cis-3-Hoxonol (928-96-1) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose 70xicity Study with the Reproduction / Developmental Toxicity Screening Text) Phenyl ethyl alcohol (60-12-8) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Linalool (78-70-6) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Borzyl Salicylato (118-58-1) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) Ethyl acetate (141-78-6) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repe	NOAEL (animal/female, F0/P)	
STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure : Not classified alpha Damascone (24720-09-0) S00 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 30 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) cls-3-Hexenol (928-96-1) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose 90-Day Oral Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Phenyl ethyl alcohol (60-12-8) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) NAEL (dermal, rat/rabbit, 90 days) 510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Bonzyl Salicylate (118-58-1) NAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Bonzyl Salicylate (118-58-1) NAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity: 90-Day Study) Bonzyl Salicylate (141-78-6) 177 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Test) NAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Ani	STOT-single exposure :	Not classified
STOT-repeated exposure : Not classified alpha Damascone (24720-09-0) Doy mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Vial Vixokity Study in Rodents) NOAEL (oral, rat, 90 days) 30 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) cis-3-Hoxonol (928-96-1) NOAEL (oral, rat, 90 days) 30 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose 70xicity Study with the Reproduction / Developmental Toxicity Screening Test) Phenyl ethyl alcohol (60-12-8) NOAEL (dermal, rat/rabbit, 90 days) 510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Linalool (78-70-6) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Benzyl Salicylate (118-58-1) NOAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Study) Benzyl Salicylate (141-78-6) UDAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 408 (Repeated Dose 90-Day Study) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 3000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (Ethyl acetate (141-78-6)	
alpha Damascone (24720-09-0) LOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 30 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) cis-3-Hoxenol (928-96-1) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Phenyl ethyl alcohol (60-12-8) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Linalool (76-70-6) Toxicity: 90-Day Study) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Benzyl Salicylate (118-58-1) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Study) Benzyl Salicylate (118-58-1) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Study) Benzyl Salicylate (118-58-1) 177 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) <td>STOT-single exposure</td> <td>May cause drowsiness or dizziness.</td>	STOT-single exposure	May cause drowsiness or dizziness.
LOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 30 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) cis-3-Hexenol (928-96-1) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Phenyl ethyl alcohol (60-12-8) 510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) NOAEL (dermal, rat/rabbit, 90 days) 510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Barzyl Salicylate (118-58-1) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Barzyl Salicylate (141-78-6) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity: Study in Rodents) Ethyl accetae (141-78-6) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) RobacL (oral, rat, 90 days) 3000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NoAEL (oral, rat, 90 days) 3000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NoAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: ra	STOT-repeated exposure :	Not classified
Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 30 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Phenyl ethyl alcohol (60-12-8) 510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Linalool (78-70-6) 510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Benzyl Salicylate (118-58-1) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) Ethyl accetate (141-78-6) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) Ethyl accetate (141-78-6) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NoAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NoAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Soportie Toxicity Tes	alpha Damascone (24720-09-0)	
(Repeated Dose 90-Day Oral Toxicity Study in Rodents) cis-3-Hoxonol (928-96-1) NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Toxicity: 90-Day Study Phenyl ethyl alcohol (60-12-8) 510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Linalool (78-70-6) 510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Benzyl Salicylate (118-58-1) 520 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity: Study in Rodents) Benzyl Salicylate (118-58-1) 717 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) Ethyl acetate (141-78-6) 500 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NoAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NoAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Roperator Vocasified Cis-3-Hoxenol (928-96-1) 901 mg/kg at 0 °C	LOAEL (oral, rat, 90 days)	
NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Phenyl ethyl alcohol (60-12-8) S10 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Linalool (78-70-6) S10 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Benzyl Salicylate (118-58-1) S20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) Ethyl acetate (141-78-6) 177 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 3010 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test	NOAEL (oral, rat, 90 days)	
Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Phenyl ethyl alcohol (60-12-8) NOAEL (dermal, rat/rabbit, 90 days) \$10 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Linalool (78-70-6) VoaEL (dermal, rat/rabbit, 90 days) \$20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Benzyl Salicylate (118-58-1) Yoa Gays) \$177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) Benzyl Coral, rat, 90 days) \$3600 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) Ethyl acetate (141-78-6) Yoa Gays \$3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) \$300 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Aspiration hazard > vot classified Ciscosity, kinematic \$391 mm²/s at 20 °C Linalool (78-70-6) Yiscosity, kinematic \$191.86 mm²/s Viscosity, kinematic \$191.86 mm²/s Addehyde C14 peach (104-67-6) \$191.86 mm²/s	cis-3-Hexenol (928-96-1)	
NOAEL (dermal, rat/rabbit, 90 days) 510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Linalool (78-70-6) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Benzyl Salicylate (118-58-1) 175 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) NOAEL (oral, rat, 90 days) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Ethyl acetate (141-78-6) 177 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NoAEL (oral, rat, 90 days) 901 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Storesti, kinematic 3.91 mm²/s at 20 °C	NOAEL (oral, rat, 90 days)	Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening
Instantion Toxicity: 90-Day Study) Linalool (78-70-6) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Benzyl Salicylate (118-58-1) Toxicity: 90-Day Study) NOAEL (oral, rat, 90 days) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) Ethyl acetate (141-78-6) Image: Study Study in Rodents) LOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Not classified Imatoget Toxicity Test) Station hazard Not classified Cis-3-Hexenol (928-96-1) Imatoget Toxicity Test) Viscosity, kinematic 3.91 mm ² /s at 20 °C Linalool (78-70-6) Imatoget Toxicity Test) Viscosity, kinematic 5191.86 mm ² /s </td <td>Phenyl ethyl alcohol (60-12-8)</td> <td></td>	Phenyl ethyl alcohol (60-12-8)	
NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) Benzyl Salicylate (118-58-1) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Ethyl acetate (141-78-6) 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Aspiration hazard Not classified cts-3-Hexenol (928-96-1) Viscosity, kinematic Viscosity, kinematic 3.91 mm²/s at 20 °C Linalool (78-70-6) 5191.86 mm²/s Viscosity, kinematic 5191.86 mm²/s	NOAEL (dermal, rat/rabbit, 90 days)	
Image: Sense of the sense	Linalool (78-70-6)	
NOAEL (oral, rat, 90 days) 177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) Ethyl acetate (141-78-6) Image: Comparison of Compariso	NOAEL (dermal, rat/rabbit, 90 days)	
Day Oral Toxicity Study in Rodents) Ethyl acetate (141-78-6) LOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Aspiration hazard Not classified cis-3-Hexenol (928-96-1) Viscosity, kinematic Viscosity, kinematic 3.91 mm²/s at 20 °C Linalool (78-70-6) 5191.86 mm²/s Aldehyde C14 peach (104-67-6) Image State Sta	Benzyl Salicylate (118-58-1)	<u>.</u>
LOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Aspiration hazard > Not classified cis-3-Hexenol (928-96-1) > Not classified Viscosity, kinematic 3.91 mm²/s at 20 °C Linalool (78-70-6) > 191.86 mm²/s Viscosity, kinematic 5191.86 mm²/s	NOAEL (oral, rat, 90 days)	
Toxicity Test) Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Aspiration hazard Not classified cis-3-Hexenol (928-96-1) Vot classified Viscosity, kinematic 3.91 mm²/s at 20 °C Linalool (78-70-6) 5191.86 mm²/s Viscosity, kinematic 5191.86 mm²/s	Ethyl acetate (141-78-6)	
Toxicity Test) Toxicity Test) Aspiration hazard : Not classified cis-3-Hexenol (928-96-1)	LOAEL (oral, rat, 90 days)	
cis-3-Hexenol (928-96-1) Viscosity, kinematic 3.91 mm²/s at 20 °C Linalool (78-70-6) Viscosity, kinematic 5191.86 mm²/s Aldehyde C14 peach (104-67-6)	NOAEL (oral, rat, 90 days)	
Viscosity, kinematic 3.91 mm²/s at 20 °C Linalool (78-70-6) Viscosity, kinematic Viscosity, kinematic 5191.86 mm²/s Aldehyde C14 peach (104-67-6) Viscosity	Aspiration hazard :	Not classified
Linalool (78-70-6) Viscosity, kinematic 5191.86 mm²/s	cis-3-Hexenol (928-96-1)	
Viscosity, kinematic 5191.86 mm²/s Aldehyde C14 peach (104-67-6)	Viscosity, kinematic	3.91 mm²/s at 20 °C
Aldehyde C14 peach (104-67-6)	Linalool (78-70-6)	
	Viscosity, kinematic	5191.86 mm²/s
Viscosity, kinematic < 10.621 mm²/s	Aldehyde C14 peach (104-67-6)	
	Viscosity, kinematic	< 10.621 mm²/s

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl Salicylate (118-58-1)		
Viscosity, kinematic 17 mm²/s at 20 °C		
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
(acute)	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified
Hazardous to the aquatic environment, long-term : (chronic)	Not classified.
Limonene (5989-27-5)	
LC50 - Fish [1]	720 μg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
alpha Damascone (24720-09-0)	
LC50 - Fish [1]	1.09 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	2.37 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	5 mg/l Test organisms (species): other:
cis-3-Hexenol (928-96-1)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	 > 76 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
Phenyl ethyl alcohol (60-12-8)	
LC50 - Fish [1]	215 – 464 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	287.17 mg/l Test organisms (species): Daphnia magna
Linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Safety Data Sheet

Aldehyde C14 peach (104-67-6)	
EC50 - Crustacea [1]	5.853 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	7.218 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
LOEC (chronic)	1.83 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.138 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Benzyl Salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	1.16 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.691 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	1.29 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
Ethyl acetate (141-78-6)	
LC50 - Fish [1]	230 mg/l Test organisms (species): Pimephales promelas
NOEC (chronic)	2.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Allyl hexanoate (123-68-2)	
LC50 - Fish [1]	0.117 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	2 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 4.6 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	0.778 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Benzyl acetate (140-11-4)	
LC50 - Fish [1]	4 mg/l Test organisms (species): Oryzias latipes
LC50 - Fish [2]	7.9 mg/l Test organism (species): Brachydanio rerio OECD 203
EC50 - Crustacea [1]	17 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	110 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	92 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC chronic fish	0.92 mg/l Test organisms (species): Oryzias latipes Duration: '28 d'

FO Peach kiss		
Persistence and degradability	Not rapidly degradable	
Limonene (5989-27-5)		
Persistence and degradability	Not rapidly degradable	
alpha Damascone (24720-09-0)		
Persistence and degradability	Not rapidly degradable	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

cis-3-Hexenol (928-96-1)	
Persistence and degradability	Not rapidly degradable
Phenyl ethyl alcohol (60-12-8)	, ,,
Persistence and degradability	Not rapidly degradable
Linalool (78-70-6)	
Persistence and degradability	Not rapidly degradable
· ·	
Aldehyde C14 peach (104-67-6) Persistence and degradability	Net repidly degradeble
	Not rapidly degradable
Benzyl Salicylate (118-58-1)	
Persistence and degradability	Not rapidly degradable
Ethyl acetate (141-78-6)	
Persistence and degradability	Not rapidly degradable
Carvone (99-49-0)	
Persistence and degradability	Not rapidly degradable
Allyl hexanoate (123-68-2)	
Persistence and degradability	Not rapidly degradable
Benzyl acetate (140-11-4)	
Persistence and degradability	Not rapidly degradable
12.3. Bioaccumulative potential	
alpha Damascone (24720-09-0)	
Partition coefficient n-octanol/water (Log Kow)	≥ 3.66
Phenyl ethyl alcohol (60-12-8)	
Partition coefficient n-octanol/water (Log Pow)	0.8 pH value : 7, 20 °C
Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	≥ 2.84
Aldehyde C14 peach (104-67-6)	·
Partition coefficient n-octanol/water (Log Pow)	3.6 25 °C
Benzyl Salicylate (118-58-1)	
Partition coefficient n-octanol/water (Log Pow)	4
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	2
12.4. Mobility in soil	
No additional information available	

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	
SECTION 13 [,] Disposal considerations	

13.1. Waste treatment methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Flammable vapours may accumulate in the container. Do not re-use empty containers.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber		I	
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shippin	g name	<u>.</u>		·
FLAMMABLE LIQUID, N.O.S. (FO Peach kiss)	FLAMMABLE LIQUID, N.O.S. (FO Peach kiss)	Flammable liquid, n.o.s. (FO Peach kiss)	FLAMMABLE LIQUID, N.O.S. (FO Peach kiss)	FLAMMABLE LIQUID, N.O.S. (FO Peach kiss)
Transport document descr	iption		I	
UN 1993 FLAMMABLE LIQUID, N.O.S. (FO Peach kiss), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (FO Peach kiss), 3, III	UN 1993 Flammable liquid, n.o.s. (FO Peach kiss), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (FO Peach kiss), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (FO Peach kiss), 3, III
14.3. Transport hazard o	class(es)			
3	3	3	3	3
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary informatio	n available			
14.6. Special precaution	s for user			
Overland transport Classification code (ADR) Special provisions (ADR)	: F1 : 274	4 601		

Limited quantities (ADR)

Excepted quantities (ADR)

Packing instructions (ADR)

: P001, IBC03, LP01, R001

: 51

: E1

Safety Data Sheet

	ed by Regulation (EO) 2020/878
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(ADR)	
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	30
	1993
Turnel restriction and (ADD)	
Tunnel restriction code (ADR)	: D/E
Transport by sea	
Special provisions (IMDG)	: 223, 274, 955
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L : A3
Special provisions (IATA) ERG code (IATA)	: 3L
Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
Deil freuen ert	
Rail transport	. 54
Classification code (RID)	: F1
Special provisions (RID)	: 274, 601
Limited quantities (RID)	: 5L : E1
Excepted quantities (RID) Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container instructions ((ND)	: TP1, TP29
(RID)	,
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Colis express (express parcels) (RID) Hazard identification number (RID)	: CE4 : 30		

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	FO Peach kiss ; Limonene ; cis-3-Hexenol ; Ethyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	FO Peach kiss ; Limonene ; alpha Damascone ; cis-3- Hexenol ; Phenyl ethyl alcohol ; Linalool ; Benzyl Salicylate ; Ethyl acetate ; Carvone ; Allyl hexanoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Limonene ; alpha Damascone ; Aldehyde C14 peach ; Benzyl Salicylate ; Allyl hexanoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Limonene ; cis-3-Hexenol ; Ethyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Netherlands

SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acr	onyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

Safety Data Sheet

Abbreviations and acronyms:	
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains Limonene, alpha Damascone, Linalool, Benzyl Salicylate, Carvone. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
	Harmful to aquatic life with long lasting effects.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.