

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/12/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| Product form Product name UFI | Mixture FO Alpine lavender AMVC-615K-Q00F-N74D |
|-------------------------------------|--|
| Product code | : 21114 |
| Product group | : Trade product |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture

Professional use,Consumer useFragrance raw material

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

De Hekserij Spoorstraat 57 8271 RG IJsselmuiden Nederland www.hekserij.nl

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| Skin corrosion/irritation, Category 2 | H315 |
|--|------|
| Serious eye damage/eye irritation, Category 1 | H318 |
| Skin sensitisation, Category 1 | H317 |
| Hazardous to the aquatic environment – Chronic Hazard, | H411 |
| Category 2 | |
| Full text of H- and EUH-statements: see section 16 | |

Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

2.2. Label elements

| Labelling according to Regulation (EC) N | No. 1272/2008 [CLP] |
|--|--|
| Hazard pictograms (CLP) | |
| | GHS05 GHS07 GHS09 |
| Signal word (CLP) | : Danger |
| Hazard statements (CLP) | : H315 - Causes skin irritation. |
| | H317 - May cause an allergic skin reaction. |
| | H318 - Causes serious eye damage. |
| | H411 - Toxic to aquatic life with long lasting effects. |
| | in the second addition in the with long labeling choose. |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Precautionary statements (CLP) : | P261 - Avoid breathing vapours, spray, mist, fume. P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, eye protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P391 - Collect spillage. P501 - Dispose of contents and container to hazardous or special waste collection point, in |
|----------------------------------|---|
| EUH-statements : | accordance with local, regional, national and/or international regulation. EUH208 - Contains Eucalyptol, PTBCHA, d-Limonene, Linalool, Linalyl acetate, alpha- Pinene, trans-Menthone, Coumarin. May produce an allergic reaction. |

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------|--|--------|---|
| Dihydromyrcenol | CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37 | 5 – 10 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 |
| Eucalyptol | CAS-No.: 470-82-6 EC-No.: 207-431-5 | 5 – 10 | Flam. Liq. 3, H226 Skin Sens. 1B, H317 |
| dl-Borneol | CAS-No.: 507-70-0 EC-No.: 208-080-0 | 0 – 5 | Flam. Sol. 2, H228 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 |
| РТВСНА | CAS-No.: 32210-23-4 EC-No.: 250-954-9 | 0 – 5 | Skin Sens. 1B, H317 |
| d-Limonene | CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 | 0 – 5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Camphor | CAS-No.: 76-22-2 EC-No.: 200-945-0 | 0-5 | Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 STOT SE 2, H371 |

Safety Data Sheet

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------------------|---|-------|---|
| para-Cymene | CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1 | 0 – 5 | Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| gamma-Terpinene | CAS-No.: 99-85-4 EC-No.: 202-794-6 | 0 – 5 | Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 2, H411 |
| Isotridecyl alcohol | CAS-No.: 68526-86-3; 27458- 92-0 EC-No.: 271-235-6; 248-469- 2 REACH-no: 01-2119488528- 21 | 0 – 5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Terpineol | CAS-No.: 8000-41-7 EC-No.: 232-268-1 REACH-no: 01-2119553062- 49 | 0 – 5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 |
| Neononyl acetate (Sym) | CAS-No.: 58430-94-7 EC-No.: 261-245-9 REACH-no: 01-2120858041- 62 | 0 – 5 | Skin Irrit. 2, H315 Aquatic Chronic 2, H411 |
| Linalool | CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42 | 0 – 5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| Linalyl acetate | CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19 | 0 – 5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| alpha-Pinene | CAS-No.: 80-56-8 EC-No.: 201-291-9 | 0 – 5 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| trans-Menthone | CAS-No.: 89-80-5 EC-No.: 201-941-1 REACH-no: 01-2120741994- 43 | 0 – 5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| Benzyl acetate | CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42 | 0 – 5 | Aquatic Chronic 3, H412 |
| Benzyl benzoate | CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 | 0 – 5 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Coumarin | CAS-No.: 91-64-5 EC-No.: 202-086-7 | 0 – 5 | Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------|---|-------|---|
| Amyl salicylate | CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2120771342- 58 | 0 – 5 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Diphenyl ether | CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33 | 0 – 5 | Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |

Full text of H- and EUH-statements: see section 16

| SECTION 4: First aid measures | |
|--|---|
| 4.1. Description of first aid measures | |
| First-aid measures general First-aid measures after inhalation First-aid measures after skin contact | If you feel unwell, seek medical advice. Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact First-aid measures after ingestion | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Call a poison center or a doctor if you feel unwell. |
| 4.2. Most important symptoms and effects | , both acute and delayed |
| Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion | Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Irritation. May cause an allergic skin reaction. Serious damage to eyes. None under normal conditions. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

| SECTION 5: Firefighting measures | | | |
|---|---|--|--|
| 5.1. Extinguishing media | | | |
| Suitable extinguishing media Unsuitable extinguishing media | Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream. | | |
| 5.2. Special hazards arising from the substance or mixture | | | |
| Fire hazard Explosion hazard Hazardous decomposition products in case of fire | No fire hazard. No direct explosion hazard. Toxic fumes may be released. | | |
| 5.3. Advice for firefighters | | | |
| Firefighting instructions Protection during firefighting | Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| SECTION 6: Accidental release measures | | | | |
|--|---|--|--|--|
| 6.1. Personal precautions, protective equ | ipment and emergency procedures | | | |
| General measures | : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. | | | |
| 6.1.1. For non-emergency personnel | | | | |
| Protective equipment Emergency procedures | Wear recommended personal protective equipment. Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. | | | |
| 6.1.2. For emergency responders | | | | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". | | | |
| Emergency procedures | : Evacuate unnecessary personnel. Stop leak if safe to do so. | | | |
| 6.2. Environmental precautions | | | | |
| Avoid release to the environment. | | | | |
| 6.3. Methods and material for containmer | nt and cleaning up | | | |
| For containment | : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. | | | |
| Methods for cleaning up | : Take up liquid spill into absorbent material. | | | |
| Other information | : Dispose of materials or solid residues at an authorized site. | | | |
| 6.4. Reference to other sections | | | | |
| | | | | |

For further information refer to section 13.

| SECTION 7: Handling and storage | |
|--|---|
| 7.1. Precautions for safe handling | |
| Additional hazards when processed Precautions for safe handling Hygiene measures | Not expected to present a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, including | any incompatibilities |
| Technical measures Storage conditions Packaging materials | Keep in a cool, well-ventilated place away from heat. Keep cool. Protect from sunlight. Store always product in container of same material as original container. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : Liquid |
|---------------------------|-----------------------------|
| Colour | : Colourless - pale yellow. |
| Odour | : Not available |
| Odour threshold | : Not available |
| Melting point | : Not applicable |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Non flammable. |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : 77 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| рН | : Not available |
|---|------------------------|
| Viscosity, kinematic | : Not available |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : 0.944 – 0.974 d20/20 |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

| SECTION 11: Toxicological information | |
|---|---|
| 11.1. Information on hazard classes as define | d in Regulation (EC) No 1272/2008 |
| | Not classified Not classified Not classified |
| dl-Borneol (507-70-0) | |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LC50 Inhalation - Rat | 0.5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |
| РТВСНА (32210-23-4) | |
| LD50 oral rat | 300 – 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure) |

Safety Data Sheet

| d-Limonene (5989-27-5) | |
|-------------------------------------|---|
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) |
| Camphor (76-22-2) | |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LC50 Inhalation - Rat | > 10 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |
| para-Cymene (99-87-6) | |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight Animal: rabbit, Guideline: other: |
| gamma-Terpinene (99-85-4) | |
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| Terpineol (8000-41-7) | |
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LC50 Inhalation - Rat | > 4.76 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |
| Neononyl acetate (Sym) (58430-94-7) | |
| LD50 oral rat | 4250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 3540 - 4960 |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| Linalool (78-70-6) | |
| LD50 oral rat | 2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 2440 - 3180 |
| LD50 dermal rabbit | 5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374 |
| Linalyl acetate (115-95-7) | |
| LD50 oral rat | > 9000 mg/kg bodyweight Animal: rat, Remarks on results: other: |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight Animal: rabbit |
| alpha-Pinene (80-56-8) | |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) |
| trans-Menthone (89-80-5) | |
| LD50 oral | 1500 mg/kg bodyweight Animal: mouse, Guideline: other: |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight Animal: rabbit, Guideline: other: |
| Benzyl acetate (140-11-4) | |
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |

Safety Data Sheet

| PTBCHA (32210-23-4) pH 7 trans-Menthone (89-80-5) 7 pH 3.78 Temp.: 26,5 °C Serious eye damage/irritation : -uses serious eye damage. PTBCHA (32210-23-4) -uses serious eye damage. pH 7 trans-Menthone (89-80-5) -uses serious eye damage. pH 7 pH 3.78 Temp.: 26,5 °C pH 3.78 Temp.: 26,5 °C | Benzyl acetate (140-11-4) | |
|--|-----------------------------------|---|
| LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) Coumarin (91-84-5) 283 mg/kg bodyweight Animal: rat, Guideline: otherno data LD50 oral rat 293 mg/kg bodyweight Animal: rat, Guideline: otherno data LD50 dram rat 293 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dram rat = 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dram rabbit > 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Toxicity (Dermal)) Sin corosalon/inflation > 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Toxicity (Dermal)) Sin corosalon/inflation > 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Toxicity (Dermal)) Sin corosalon/inflation > 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Toxicity (Dermal)) Sin corosalon/inflation > 7 pH 3.78 Temp. 26.5 °C Serious eye damagelinitation > May cause an altergic skin reaction. Germ cell musigenicity > Not classified Germ cell musigenicity > Not classified geroductive toxicity > Not classified geroductive toxicity </td <td>LD50 dermal rabbit</td> <td>> 5000 mg/kg</td> | LD50 dermal rabbit | > 5000 mg/kg |
| Toxicity Coumarin (91-64-5) LD950 oral rat 293 mg/kg bodyweight Animal: rat, Guideline: other:no data LD950 oral rat 293 mg/kg bodyweight Animal: rat, Guideline: other:no data Amy saticytate (2050-08-0) * 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD950 oral rat * 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD950 demal rabbit > 2000 mg/kg bodyweight Animal: ratb.bit. Guideline: EU Method B.3 (Acute Toxicity) Skin corroseon/intation : 2000 mg/kg bodyweight Animal: ratb.bit. Guideline: EU Method B.3 (Acute Toxicity) Skin corroseon/intation : 2000 mg/kg bodyweight Animal: ratb.bit. Guideline: EU Method B.3 (Acute Toxicity) Skin corroseon/intation : 2000 mg/kg bodyweight Animal: ratb.bit. Guideline: EU Method B.3 (Acute Toxicity) Skin corroseon/intation : 2000 mg/kg bodyweight Animal: ratb.animation PH 7 Toxica Corroseon/intation : Cause serious eye damage. PH 17 PH 17 Corroseon/intation : May cause an allergic skin recetion. Germ edi mutgenicity : Net classified Corroseon/intusenicity : Net classified < | Benzyl benzoate (120-51-4) | |
| L050 oral rat 293 mg/kg bodyweight Animai: rat, Guideline: other.no data L050 dermal rat 293 mg/kg bodyweight Animai: rat, Guideline: other.no data Amy salicylate (2050-08-0) *2000 mg/kg bodyweight Animai: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxitoly) L050 dermal rabbit *2000 mg/kg bodyweight Animai: rabbit, Guideline: EU Method B.3 (Acute Toxitoly (Dermal)) Skin corresion/inflation : Gauses skin inflation. PTBCHA (32210-23-4) 7 pH 7. trans-Menthone (89-80-5) *2000 mg/kg bodyweight Animai: rabbit, Guideline: EU Method B.3 (Acute Toxitoly (Dermal)) Strict sey damage/inflation : Gauses skin inflation. PTBCHA (32210-23-4) * pH 3.78 Temp: 26,5 °C Serious sey damage/inflation : Gauses serious eye damage. PTBCHA (32210-23-4) * pH 3.78 Temp: 26,5 °C Respiratory or skin semalisation : May cause an altergic skin reaction. Gem cell mutagenicity : Not classified Respiratory or skin semalisation : May cause an altergic skin reaction. Gem cell mutagenicity : Not classified Reproductive toxicity : Not classified | LD50 oral rat | |
| Lb50 dermal rat 293 mg/kg bodyweight Animal: rat, Guideline: other.no data Amyl salicylate (2050-08-0) *2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity) Lb50 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Cermal)) Skin corrosion/inflation : 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal)) Skin corrosion/inflation : 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal)) Skin corrosion/inflation : 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal)) Skin corrosion/inflation : 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal)) Skin corrosion/inflation : 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal)) Skin corrosion/inflation : 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal)) Skin corrosion/inflation : 200 mg/kg bodyweight Animal: rabbit, Suideline: Cerce Skin Ford PH : 7 7 Torosion/inflation : Rasse serious eye damage. PTBCHA (32210-23-4) : 7 pH : 7 7 Carashenthone (89-80-5) : Rasse serious eye damage. pH : 7.8 Termp:: 28.5 °C Respiratory or skin sensitisation : May cause an allergici | Coumarin (91-64-5) | |
| Amy I salicylate (2050-08-0) LD50 oral rat = 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EU Method B.3 (Acute Toxicity (Dermai)) Skin corrosion/irritation : Causes skin irritation. PTBCHA (32210-23-4) 7 pH 3.78 Temp:: 26.5 °C Sofious eye damage/irritation : Causes serious eye damage. PTBCHA (32210-23-4) 7 pH 3.78 Temp:: 26.5 °C Sofious eye damage/irritation : Causes serious eye damage. PTBCHA (32210-23-4) 7 pH 3.78 Temp:: 26.5 °C pH 3.78 Temp:: 26.5 °C pH Sofious eye damage. PTBCHA (32210-23-4) 7 pH 3.78 Temp:: 26.5 °C pH Sofious eye damage. | LD50 oral rat | 293 mg/kg bodyweight Animal: rat, Guideline: other:no data |
| L550 oral rat = 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity) L550 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EU Method B.3 (Acute Toxicity (Dermal)) Skin corrosion/irritation : Causes akin irritation. PTBCHA (32210-23-4) 7 pH 3.78 Temp.: 26.5 °C Scious eye damage/irritation : Causes serious eye damage. PTBCHA (32210-23-4) 7 pH 3.78 Temp.: 26.5 °C Scious eye damage/irritation : Causes serious eye damage. PTBCHA (32210-23-4) 7 pH 3.78 Temp.: 26.5 °C Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Gardingenicity : Not classified Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Streeming Test) NOAEL | LD50 dermal rat | 293 mg/kg bodyweight Animal: rat, Guideline: other:no data |
| IAcute Oral Toxicity IAcute Oral Toxicity LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: ratbit, Guideline: EU Method B.3 (Acute Toxicity (Dormal)) Skin corrosion/irritation : Causes skin irritation. PTBCHA (32210-23-4) 7 pH 7 trans-Menthone (69-80-5) Uses serious eye damage. pH 3.78 Temp.: 26,5 °C Serious eye damage/irritation : Causes serious eye damage. PTBCHA (32210-23-4) 7 pH 7 Tomas-Menthone (69-80-5) 7 pH 3.78 Temp.: 26,5 °C Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carrinogenicity : Not classified Garrinogenicity : Not classified gamma-Terpinene (99-85-4) NOAEL (animal/male, F1) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Terpineol (8000-41-7) Uo mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening | Amyl salicylate (2050-08-0) | |
| (Dermal)) Causes skin irritation. PTBCHA (32210-23-4) 7 pH 7 trans-Menthone (89-80-5) 3.78 Temp.: 26,5 °C pH 3.78 Temp.: 26,5 °C Serious eye damage/initiation : Causes serious eye damage. PTBCHA (32210-23-4) 7 pH 3.78 Temp.: 26,5 °C PBCHA (32210-23-4) 7 pH 7 ctrans-Menthone (89-80-5) 7 pH 3.78 Temp.: 26,5 °C Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Gamma-Torpinone (99-85-4) Vot classified NOAEL (animal/male, F1) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Tox | LD50 oral rat | |
| PTBCHA (32210-23-4) 7 pH 7 trans-Menthone (89-80-5) 3.78 Temp:: 26,5 °C Serious eye damage/initiation : Causes serious eye damage. PTBCHA (32210-23-4) pH pH 7 trans-Menthone (89-80-5) r pH 7 trans-Menthone (89-80-5) r pH 3.78 Temp:: 26,5 °C Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified gamma-Terpinone (99-85-4) Z50 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity St | LD50 dermal rabbit | |
| pH 7 trans-Menthone (89-80-5) Vertical Serious evel damage/Irritation Serious evel damage/Irritation Serious evel damage/Irritation Causes serious evel damage. PTBCHA (32210-23-4) 7 pH 7 trans-Menthone (89-80-5) 7 pH 3.78 Temp: 26,5 °C Respiratory or skin sensitisation May cause an allergic skin reaction. Gern cell mutagenicity Not classified carrinogenicity Not classified gamma-Terpinene (99-85-4) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/ | Skin corrosion/irritation | : Causes skin irritation. |
| trans-Menthone (89-80-5) pH 3.78 Temp:: 26,5 °C Serious eye damage/irritation : Causes serious eye damage. PTBCHA (32210-23-4) pH pH 7 trans-Menthone (89-80-5) pH pH 3.78 Temp:: 26,5 °C Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Gamma-Terpinene (99-85-4) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/mele, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Terpineol (8000-41-7) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL | PTBCHA (32210-23-4) | |
| pH 3.78 Temp:: 26,5 °C Serious eye damage/irritation : Causes serious eye damage. PTBCHA (32210-23-4) 7 pH 7 trans-Menthone (89-80-5) 3.78 Temp:: 26,5 °C pH 3.78 Temp:: 26,5 °C Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Garonogenicity : Not classified Garonogenicity : Not classified gamma-Terpinene (99-85-4) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Terpineol (8000-41-7) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodywe | рН | 7 |
| Serious eye damage/irritation : Causes serious eye damage. PTBCHA (32210-23-4) 7 pH 7 trans-Menthone (89-80-5) 9 pH 3.78 Temp.: 26,5 °C Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Garongenicity : Not classified Reproductive toxicity : Not classified gamma-Terpinene (99-85-4) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) > 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined | trans-Menthone (89-80-5) | |
| PTBCHA (32210-23-4) pH 7 trans-Menthone (89-80-5) pH 3.78 Temp:: 26,5 °C Respiratory or skin sensitisation : May cause an allergic skin reaction. Gern cell mutagenicity : Not classified Carcinogenicity : Not classified Respiratory or skin sensitisation : Not classified gamma-Terpinene (99-85-4) Not classified NOAEL (animal/male, F1) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicit | рН | 3.78 Temp.: 26,5 °C |
| pH 7 trans-Menthone (89-80-5) F pH 3.78 Temp.: 26,5 °C Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified gamma-Terpinene (99-85-4) Not classified NOAEL (animal/male, F1) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) > 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) > | Serious eye damage/irritation | Causes serious eye damage. |
| trans-Menthone (89-80-5) pH 3.78 Temp:: 26,5 °C Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified gamma-Terpinene (99-85-4) Vot classified NOAEL (animal/male, F1) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) >250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) >250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OE | PTBCHA (32210-23-4) | |
| pH 3.78 Temp.: 26,5 °C Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reporductive toxicity : Not classified gamma-Terpinene (99-85-4) Vot classified NOAEL (animal/male, F1) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Terpineol (8000-41-7) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) > 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Repr | рН | 7 |
| Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified gamma-Terpinene (99-85-4) Vot classified NOAEL (animal/male, F1) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) <tr< td=""><td>trans-Menthone (89-80-5)</td><td></td></tr<> | trans-Menthone (89-80-5) | |
| Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified gamma-Terpinene (99-85-4) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / De | рН | 3.78 Temp.: 26,5 °C |
| Carcinogenicity : Not classified Reproductive toxicity : Not classified gamma-Terpinene (99-85-4) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) >250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) trans-Menthone (89-80-5) 800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other: | Respiratory or skin sensitisation | |
| Reproductive toxicity Not classified gamma-Terpinene (99-85-4) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) >500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) >500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline | | |
| gamma-Terpinene (99-85-4) NOAEL (animal/male, F1) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Terpineol (8000-41-7) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) > 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) > 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) trans-Menthone (89-80-5) 800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other: | | |
| NOAEL (animal/male, F1) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F1) 100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) > 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) > 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/male, F0/P) > 800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other: | | |
| Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)Terpineol (8000-41-7)NOAEL (animal/male, F0/P)250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)NOAEL (animal/female, F0/P)> 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)NOAEL (animal/female, F0/P)> 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)NOAEL (animal/male, F0/P)800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:NOAEL (animal/male, F0/P)800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other: | NOAEL (animal/male, F1) | (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity |
| NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) > 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) > 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) trans-Menthone (89-80-5) NOAEL (animal/male, F0/P) 800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other: | NOAEL (animal/female, F1) | (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity |
| (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (animal/female, F0/P) > 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) trans-Menthone (89-80-5) 800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other: | Terpineol (8000-41-7) | |
| (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) trans-Menthone (89-80-5) NOAEL (animal/male, F0/P) 800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other: | NOAEL (animal/male, F0/P) | (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity |
| NOAEL (animal/male, F0/P) 800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other: | NOAEL (animal/female, F0/P) | (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity |
| | trans-Menthone (89-80-5) | |
| NOAEL (animal/female, F0/P) 671 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other: | NOAEL (animal/male, F0/P) | 800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other: |
| | NOAEL (animal/female, F0/P) | 671 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other: |

Safety Data Sheet

| STOT-single exposure : | Not classified |
|--|---|
| dl-Borneol (507-70-0) | |
| STOT-single exposure | May cause damage to organs. |
| Camphor (76-22-2) | |
| STOT-single exposure | May cause damage to organs. |
| STOT-repeated exposure : | Not classified |
| Eucalyptol (470-82-6) | |
| NOAEL (oral, rat, 90 days) | 600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3150 (90-Day Oral Toxicity in Non-rodents) |
| dl-Borneol (507-70-0) | |
| NOAEL (oral, rat, 90 days) | 3.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | 250 mg/kg bodyweight Animal: rat, Guideline: other: |
| Camphor (76-22-2) | |
| NOAEL (oral, rat, 90 days) | 3.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | 250 mg/kg bodyweight Animal: rat, Guideline: other: |
| Terpineol (8000-41-7) | |
| NOAEL (oral, rat, 90 days) | 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| Neononyl acetate (Sym) (58430-94-7) | |
| NOAEL (oral, rat, 90 days) | 80 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) |
| Linalool (78-70-6) | |
| NOAEL (dermal, rat/rabbit, 90 days) | 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |
| Linalyl acetate (115-95-7) | |
| NOAEL (dermal, rat/rabbit, 90 days) | 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |
| Benzyl benzoate (120-51-4) | |
| NOAEL (dermal, rat/rabbit, 90 days) | 781 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |
| Coumarin (91-64-5) | |
| NOAEL (subchronic, oral, animal/female, 90 days) | > 138.3 mg/kg bodyweight Animal: mouse, Animal sex: female |
| Diphenyl ether (101-84-8) | |
| NOAEL (dermal, rat/rabbit, 90 days) | 1000 mg/kg bodyweight Animal: rat |
| Aspiration hazard : | Not classified |
| Dihydromyrcenol (18479-58-8) | |
| Viscosity, kinematic | 12.2 mm ² /s |
| | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| PTBCHA (32210-23-4) | | |
|------------------------------------|-------------------------|--|
| Viscosity, kinematic | 8.37 mm²/s at 20°C | |
| Linalool (78-70-6) | | |
| Viscosity, kinematic | 5191.86 mm²/s | |
| Linalyl acetate (115-95-7) | | |
| Viscosity, kinematic | 2.77 mm ² /s | |
| Coumarin (91-64-5) | | |
| Viscosity, kinematic | Not applicable | |
| Amyl salicylate (2050-08-0) | | |
| Viscosity, kinematic | 5.5 mm²/s at 20°C | |
| 11.2. Information on other hazards | | |

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| Ecology - general : Hazardous to the aquatic environment, short-term : (acute) Hazardous to the aquatic environment, long-term : | Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects. |
|---|--|
| (chronic) | |
| Dihydromyrcenol (18479-58-8) | |
| LC50 - Fish [1] | 27.8 mg/l |
| EC50 - Crustacea [1] | 38 mg/l |
| EC50 72h - Algae [1] | 80 mg/l |
| NOEC chronic crustacea | 17 mg/l |
| Eucalyptol (470-82-6) | |
| LC50 - Fish [1] | 57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | > 100 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 74 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [1] | > 74 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| dl-Borneol (507-70-0) | |
| LC50 - Fish [1] | 33.25 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 - Crustacea [1] | 4.23 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 0.3 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 1.71 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |

Safety Data Sheet

| PTBCHA (32210-23-4) | |
|-------------------------------------|---|
| LC50 - Fish [1] | 8.6 mg/l Test organisms (species): Cyprinus carpio |
| EC50 - Crustacea [1] | 5.3 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| d-Limonene (5989-27-5) | |
| LC50 - Fish [1] | 720 μg/l Test organisms (species): Pimephales promelas |
| LC50 - Fish [2] | 702 μg/l Test organisms (species): Pimephales promelas |
| EC50 - Crustacea [1] | 0.307 mg/l Test organisms (species): Daphnia magna |
| EC50 - Crustacea [2] | 0.51 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 0.32 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 0.214 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| Camphor (76-22-2) | |
| LC50 - Fish [1] | 33.25 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 - Crustacea [1] | 4.23 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 0.3 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 1.71 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| para-Cymene (99-87-6) | |
| LC50 - Fish [1] | 48 mg/l Test organisms (species): Cyprinodon variegatus |
| EC50 - Crustacea [1] | 3.7 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 4.03 mg/l Test organisms (species): Scenedesmus capricornutum |
| EC50 72h - Algae [2] | 2.01 mg/l Test organisms (species): Scenedesmus capricornutum |
| gamma-Terpinene (99-85-4) | |
| EC50 - Crustacea [1] | 10.19 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 10.82 mg/l Test organisms (species): Scenedesmus capricornutum |
| Terpineol (8000-41-7) | |
| LC50 - Fish [1] | 62 – 80 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 72h - Algae [1] | ≈ 68 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | ≈ 17 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| Neononyl acetate (Sym) (58430-94-7) | |
| LC50 - Fish [1] | 7.7 mg/l Test organisms (species): Pimephales promelas |
| EC50 - Crustacea [1] | > 5.8 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 3.8 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 1.3 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |

Safety Data Sheet

| Neononyl acetate (Sym) (58430-94-7) | | |
|-------------------------------------|---|--|
| EC50 96h - Algae [1] | > 3.8 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) | |
| EC50 96h - Algae [2] | 2.1 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) | |
| Linalool (78-70-6) | | |
| LC50 - Fish [1] | 27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) | |
| EC50 - Crustacea [1] | 59 mg/l Test organisms (species): Daphnia magna | |
| EC50 96h - Algae [1] | 88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| EC50 96h - Algae [2] | 156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| Linalyl acetate (115-95-7) | | |
| LC50 - Fish [1] | 11 mg/l Test organisms (species): Cyprinus carpio | |
| EC50 - Crustacea [1] | 59 mg/l Test organisms (species): Daphnia magna | |
| EC50 72h - Algae [1] | 13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| alpha-Pinene (80-56-8) | | |
| LC50 - Fish [1] | 0.303 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) | |
| EC50 - Crustacea [1] | 0.475 mg/l Test organisms (species): Daphnia magna | |
| trans-Menthone (89-80-5) | | |
| LC50 - Fish [1] | 20.973 mg/l Test organisms (species): other: | |
| LC50 - Fish [2] | 13 mg/l Test organisms (species): Pimephales promelas | |
| EC50 72h - Algae [1] | > 2.5 mg/l Test organisms (species): other: | |
| EC50 72h - Algae [2] | > 70 mg/l Test organisms (species): other: | |
| EC50 96h - Algae [1] | 13.399 mg/l Test organisms (species): other: | |
| Benzyl acetate (140-11-4) | | |
| LC50 - Fish [1] | 4 mg/l Test organisms (species): Oryzias latipes | |
| LC50 - Fish [2] | 7.9 mg/l Test organism (species): Brachydanio rerio OECD 203 | |
| EC50 - Crustacea [1] | 17 mg/l Test organisms (species): Daphnia magna | |
| EC50 72h - Algae [1] | 110 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| EC50 72h - Algae [2] | 92 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| NOEC chronic fish | 0.92 mg/l Test organisms (species): Oryzias latipes Duration: '28 d' | |
| Benzyl benzoate (120-51-4) | Benzyl benzoate (120-51-4) | |
| LC50 - Fish [1] | 2.32 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) | |
| EC50 - Crustacea [1] | 3.09 mg/l Test organisms (species): Daphnia magna | |
| Coumarin (91-64-5) | | |
| LC50 - Fish [1] | 2.94 mg/l Test organisms (species): | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Coumarin (91-64-5) | | |
|------------------------------------|---|--|
| LC50 - Fish [2] | 1324 mg/l Test organisms (species): | |
| EC50 - Crustacea [1] | 8.012 mg/l Test organisms (species): Daphnia sp. | |
| EC50 96h - Algae [1] | 1.452 mg/l Test organisms (species): | |
| NOEC (chronic) | 0.5 mg/l Test organisms (species): Duration: '21 d' | |
| NOEC chronic fish | 0.191 mg/l Test organisms (species): Duration: '30 d' | |
| Amyl salicylate (2050-08-0) | | |
| LC50 - Fish [1] | 1.34 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) | |
| EC50 - Crustacea [1] | 0.88 mg/l Test organisms (species): Daphnia magna | |
| EC50 - Other aquatic organisms [1] | 1.4 mg/l | |
| ErC50 algae | 0.77 mg/l | |
| Diphenyl ether (101-84-8) | | |
| LC50 - Fish [1] | 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) | |
| EC50 - Crustacea [1] | 1.96 mg/l Test organisms (species): Daphnia magna | |

12.2. Persistence and degradability

| FO Alpine lavender | | |
|--|------------------------|--|
| Persistence and degradability | Not rapidly degradable | |
| Dihydromyrcenol (18479-58-8) | | |
| Persistence and degradability | Not rapidly degradable | |
| Eucalyptol (470-82-6) | | |
| Persistence and degradability | Not rapidly degradable | |
| dl-Borneol (507-70-0) | | |
| Persistence and degradability | Not rapidly degradable | |
| PTBCHA (32210-23-4) | | |
| Persistence and degradability | Not rapidly degradable | |
| d-Limonene (5989-27-5) | | |
| Persistence and degradability | Not rapidly degradable | |
| Camphor (76-22-2) | | |
| Persistence and degradability | Not rapidly degradable | |
| para-Cymene (99-87-6) | | |
| Persistence and degradability | Not rapidly degradable | |
| gamma-Terpinene (99-85-4) | | |
| Persistence and degradability | Not rapidly degradable | |
| Isotridecyl alcohol (68526-86-3; 27458-92-0) | | |
| Persistence and degradability | Not rapidly degradable | |
| | | |

Safety Data Sheet

| Terpineol (8000-41-7) | | |
|---|------------------------|--|
| Persistence and degradability | Not rapidly degradable | |
| Neononyl acetate (Sym) (58430-94-7) | | |
| Persistence and degradability | Not rapidly degradable | |
| Linalool (78-70-6) | | |
| Persistence and degradability | Not rapidly degradable | |
| Linalyl acetate (115-95-7) | | |
| Persistence and degradability | Not rapidly degradable | |
| alpha-Pinene (80-56-8) | | |
| Persistence and degradability | Not rapidly degradable | |
| trans-Menthone (89-80-5) | | |
| Persistence and degradability | Not rapidly degradable | |
| Benzyl acetate (140-11-4) | | |
| Persistence and degradability | Not rapidly degradable | |
| Benzyl benzoate (120-51-4) | | |
| Persistence and degradability | Not rapidly degradable | |
| Coumarin (91-64-5) | | |
| Persistence and degradability | Not rapidly degradable | |
| Amyl salicylate (2050-08-0) | | |
| Persistence and degradability | Not rapidly degradable | |
| Diphenyl ether (101-84-8) | | |
| Persistence and degradability | Not rapidly degradable | |
| 12.3. Bioaccumulative potential | | |
| Dihydromyrcenol (18479-58-8) | | |
| BCF - Fish [1] | 64.8 | |
| Partition coefficient n-octanol/water (Log Pow) | 3.25 | |
| PTBCHA (32210-23-4) | | |
| Bioconcentration factor (BCF REACH) | 234 | |
| Partition coefficient n-octanol/water (Log Pow) | 4.8 25 °C | |
| Neononyl acetate (Sym) (58430-94-7) | | |
| Partition coefficient n-octanol/water (Log Pow) | 4.6 | |
| Linalool (78-70-6) | | |
| Partition coefficient n-octanol/water (Log Pow) | ≥ 2.84 | |
| Linalyl acetate (115-95-7) | | |
| Partition coefficient n-octanol/water (Log Pow) | ≥ 3.9 | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Benzyl acetate (140-11-4) | | |
|---|-------------------|--|
| Partition coefficient n-octanol/water (Log Pow) | 2 | |
| Benzyl benzoate (120-51-4) | | |
| Partition coefficient n-octanol/water (Log Kow) | 3.97 Temp.: 25 °C | |
| Coumarin (91-64-5) | | |
| Partition coefficient n-octanol/water (Log Pow) | 1.39 | |
| Partition coefficient n-octanol/water (Log Kow) | 1.63 | |
| Amyl salicylate (2050-08-0) | | |
| Bioconcentration factor (BCF REACH) | 1.136 | |
| Partition coefficient n-octanol/water (Log Kow) | 4.4 30 °C | |
| 12.4. Mobility in soil | | |
| Dihydromyrcenol (18479-58-8) | | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.251 | |
| PTBCHA (32210-23-4) | | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.51 – 3.66 | |
| Amyl salicylate (2050-08-0) | | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.7 | |
| 12.5. Results of PBT and vPvB assessment | | |
| No additional information available | | |
| 12.6. Endocrine disrupting properties | | |
| No additional information available | | |
| 12.7. Other adverse effects | | |
| No additional information available | | |
| | | |

SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | |
|--|---|
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations. |

: Do not re-use empty containers.

SECTION 14: Transport information

| ADR IMDG IATA ADN RID | | RID | | |
|-------------------------|---------|---------|---------|---------|
| 14.1. UN number or ID n | umber | | | |
| UN 3082 | UN 3082 | UN 3082 | UN 3082 | UN 3082 |

Additional information

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | ΙΑΤΑ | ADN | RID |
|--|--|---|---|---|
| 14.2. UN proper shippin | g name | | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Alpine lavender) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Alpine lavender) | Environmentally hazardous substance, liquid, n.o.s. (FO Alpine lavender) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Alpine lavender) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Alpine lavender) |
| Transport document descr | iption | | | |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Alpine lavender), 9, III, (-) | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Alpine lavender), 9, III, MARINE POLLUTANT | UN 3082 Environmentally hazardous substance, liquid, n.o.s. (FO Alpine lavender), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Alpine lavender), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FO Alpine lavender), 9, III |
| 14.3. Transport hazard o | lass(es) | | | |
| 9 | 9 | 9 | 9 | 9 |
| | | | | |
| 14.4. Packing group | | | | |
| III | III | III | III | Ш |
| 14.5. Environmental haz | ards | | | |
| Dangerous for the environment: Yes | Dangerous for the environment: Yes Marine pollutant: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes |
| No supplementary informatio | n available | | | I |

14.6. Special precautions for user

Overland transport

| Classification code (ADR) | : | M6 |
|--|---|-------------------------|
| Special provisions (ADR) | : | 274, 335, 375, 601 |
| Limited quantities (ADR) | : | 51 |
| Excepted quantities (ADR) | : | E1 |
| Packing instructions (ADR) | : | P001, IBC03, LP01, R001 |
| Special packing provisions (ADR) | : | PP1 |
| Mixed packing provisions (ADR) | : | MP19 |
| Portable tank and bulk container instructions (ADR) | : | Τ4 |
| Portable tank and bulk container special provisions | : | TP1, TP29 |
| (ADR) | | |
| Tank code (ADR) | : | LGBV |
| Vehicle for tank carriage | : | AT |
| Transport category (ADR) | : | 3 |
| Special provisions for carriage - Packages (ADR) | : | V12 |
| Special provisions for carriage - Loading, unloading | : | CV13 |
| and handling (ADR) | | |
| Hazard identification number (Kemler No.) | : | 90 |
| Orange plates | : | 00 |
| | | 90 |
| | | 3082 |
| | | 5002 |
| | | |

Tunnel restriction code (ADR)

: -

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Transport by see | |
|--|---------------------------|
| Transport by sea | |
| Special provisions (IMDG) | : 274, 335, 969 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| 5 () | : LP01, P001 |
| Special packing provisions (IMDG) | : PP1 |
| IBC packing instructions (IMDG) | : IBC03 |
| | : T4 : TP1, TP29 |
| | |
| EmS-No. (Fire) | : F-A |
| | : S-F |
| Stowage category (IMDG) | : A |
| Air transport | |
| PCA Excepted quantities (IATA) | : E1 |
| | : Y964 |
| | : 30kgG |
| PCA packing instructions (IATA) | : 964 |
| PCA max net quantity (IATA) | : 450L |
| CAO packing instructions (IATA) | : 964 |
| CAO max net quantity (IATA) | : 450L |
| Special provisions (IATA) | : A97, A158, A197, A215 |
| ERG code (IATA) | : 9L |
| | |
| Inland waterway transport | |
| Classification code (ADN) | : M6 |
| | : 274, 335, 375, 601 |
| Limited quantities (ADN) | : 5L |
| | : E1 |
| , | : T |
| Equipment required (ADN) | : PP |
| Number of blue cones/lights (ADN) | : 0 |
| | |
| Rail transport | |
| Classification code (RID) | : M6 |
| | : 274, 335, 375, 601 |
| Limited quantities (RID) | : 5L |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Special packing provisions (RID) | : PP1 |
| Mixed packing provisions (RID) | : MP19 |
| Portable tank and bulk container instructions (RID) | : T4 |
| Portable tank and bulk container special provisions | : TP1, TP29 |
| (RID) | |
| Tank codes for RID tanks (RID) | : LGBV |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Special provisions for carriage - Loading, unloading | : CW13, CW31 |
| and handling (RID) | |
| Colis express (express parcels) (RID) | : CE8 |
| Hazard identification number (RID) | : 90 |
| · · | |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (RE | EU restriction list (REACH Annex XVII) | | |
|-------------------------|--|--|--|
| Reference code | Applicable on | Entry title or description | |
| 3(a) | Eucalyptol ; d-Limonene ; para-Cymene ; gamma- Terpinene | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F | |
| 3(b) | FO Alpine lavender ; Dihydromyrcenol ; Eucalyptol ; PTBCHA ; d- Limonene ; para-Cymene ; gamma-Terpinene ; Isotridecyl alcohol ; Terpineol ; Neononyl acetate (Sym) ; Linalool ; Linalyl acetate ; alpha- Pinene ; trans-Menthone ; Benzyl benzoate ; Amyl salicylate | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 | |
| 3(c) | FO Alpine lavender ; d- Limonene ; para-Cymene ; gamma-Terpinene ; Isotridecyl alcohol ; Neononyl acetate (Sym) ; Benzyl acetate ; Benzyl benzoate ; Amyl salicylate | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 | |
| 40. | Eucalyptol ; dl-Borneol ; d-Limonene ; Camphor ; para-Cymene ; gamma- Terpinene | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. | |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Netherlands

| SZW-lijst van kankerverwekkende stoffen | : Isotridecyl alcohol, Terpineol are listed |
|--|---|
| SZW-lijst van mutagene stoffen | : Isotridecyl alcohol, Terpineol are listed |
| SZW-lijst van reprotoxische stoffen – Borstvoeding | : None of the components are listed |
| SZW-lijst van reprotoxische stoffen – | : None of the components are listed |
| Vruchtbaarheid | |
| SZW-lijst van reprotoxische stoffen – Ontwikkeling | : None of the components are listed |
| | |

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acr | onyms: |
|-----------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| ΙΑΤΑ | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| РВТ | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |

Safety Data Sheet

| Abbreviations and acronyms: | |
|-----------------------------|--|
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

| Full text of H- and EUH | I-statements: |
|--|---|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| EUH208 | Contains Eucalyptol, PTBCHA, d-Limonene, Linalool, Linalyl acetate, alpha-Pinene, trans-Menthone, Coumarin. May produce an allergic reaction. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Flam. Sol. 2 | Flammable solids, Category 2 |
| H226 | Flammable liquid and vapour. |
| H228 | Flammable solid. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H371 | May cause damage to organs. |
| H400 | Very toxic to aquatic life. |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT SE 2 | Specific target organ toxicity – Single exposure, Category 2 |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.